

	1. Product and Company Identification				
Product Code:	345400				
Product Name:	Tropic Thunder Flavor				
Trade Name:	Tropic Thunder Flavor Vapor Vapes, Inc 1801				
Company Name:					
, , , , , , , , , , , , , , , , , , ,	Catalina St, Seaside, CA				
	93955 vaporvapes.com				
Web site address:					
Phone Number:	+1 800-590-8680				
	2. Hazards Identification				
Skin Corrosion/Irritatio	n, Category 3				
Skin Sensitization, Cate	egory 1				
Flammable Liquids, Ca					



GHS Signal Word:	Warning		
GHS Hazard Phrases:	H227: Combustible liquid.		
	H316: Causes mild skin irritation.		
	H317: May cause an allergic skin reaction.		
GHS Precaution Phrases:	P210: Keep away from {heat/sparks/open flames/hot surfaces} No smoking.		
	P261: Avoid breathing {dust/fume/gas/mist/vapors/spray}.		
	P272: Contaminated work clothing should not be allowed out of the workplace.		
	P280: Wear {protective gloves/protective clothing/eye protection/face protection}.		
GHS Response Phrases:	P302+352: IF ON SKIN: Wash with plenty of soap and water.		
	P321: Specific treatment {see on this label}.		
	P332+313: If skin irritation occurs, get medical advice/attention.		
	P333+313: If skin irritation or rash occurs, seek medical advice/attention.		
	P362+364: Take off contaminated clothing and wash it before reuse.		
GHS Storage and Disposal	P403+235: Store in cool/well-ventilated place.		
Phrases:	P501: Dispose of contents/container to {}.		
Potential Health Effects	No data available.		
(Acute and Chronic):			
Inhalation:	May be harmful if inhaled.		
Skin Contact:	Causes skin irritation.		
Eye Contact:	May cause eye irritation.		
Ingestion:	May be harmful if swallowed.		

### 3. Composition/Information on Ingredients

CAS #	Hazardous Components (Chemical Name)	Concentration
57-55-6	Propylene glycol	86.0 -92.0 %
141-78-6	Acetic acid, ethyl ester	1.0 -1.5 %



#### Tropic Thunder Flavor

105-54-4	Ethyl butyrate		1.0 -1.5 %			
100-52-7	Benzaldehyde		1.5 -2.0 %			
68916-89-2	Oils, lemon, psora	alen-free	0.5 %			
8008-57-9	Oils, orange, swe	et	0.5 %			
		4. Firs	t Aid Measures			
Emergency Procedures:	and First Aid	No data available.				
In Case of Ir	nhalation:	If inhaled, remove to fr	resh air.			
In Case of S	kin Contact:		In case of contact, flush skin with plenty of water. Remove contaminated clothing and shoes. Get medical aid if irritation develops and persists.			
In Case of E	ye Contact:	In case of contact, imn	nediately flush eyes with plenty of water for at least 15 minutes.			
In Case of Ir	ngestion:	Clean mouth with wate	er and drink plenty of water.			
Signs and S Exposure:	gns and Symptoms Of To the best of our knowledge, the chemical, physical, and toxicological physical					
		5. Fire F	ighting Measures			
Flash Pt:		144.00 F				
Explosive L	imits:	LEL: No data.	UEL: No data.			
Autoignitior	n Pt:	No data.				
Suitable Ext	tinguishing Medi	a:Use water spray, dry c	chemical, carbon dioxide, or alcohol-resistant foam.			
	tinguishing Medi g Instructions:	As in any fire, wear as	chemical, carbon dioxide, or alcohol-resistant foam. self-contained breathing apparatus in pressure-demand, ved or equivalent), and full protective gear.			
Fire Fighting	• •	As in any fire, wear as	self-contained breathing apparatus in pressure-demand,			
Fire Fighting Flammable	g Instructions:	As in any fire, wear a s MSHA/NIOSH (approv No data available.	self-contained breathing apparatus in pressure-demand,			
Fire Fighting Flammable Hazards: Protective F Protective E	g Instructions:	As in any fire, wear a s MSHA/NIOSH (approv No data available.	self-contained breathing apparatus in pressure-demand, ved or equivalent), and full protective gear. al Release Measures			
Fire Fighting Flammable Hazards: Protective F Protective E Emergency	g Instructions: Properties and Precautions, Equipment and Procedures: Taken In Case	As in any fire, wear as MSHA/NIOSH (approv No data available. 6. Accident	self-contained breathing apparatus in pressure-demand, ved or equivalent), and full protective gear. al Release Measures tilation.			
Fire Fighting Flammable Hazards: Protective F Protective E Emergency Steps To Be Material Is F	g Instructions: Properties and Precautions, Equipment and Procedures: Taken In Case	As in any fire, wear as MSHA/NIOSH (approvided in the second second No data available. <b>6. Accident</b> Ensure adequate ven Dike to collect large lit	self-contained breathing apparatus in pressure-demand, ved or equivalent), and full protective gear. al Release Measures tilation.			
Fire Fighting Flammable Hazards: Protective F Protective E Emergency Steps To Be Material Is F Spilled:	g Instructions: Properties and Precautions, Equipment and Procedures: Taken In Case	As in any fire, wear as MSHA/NIOSH (approvident No data available. 6. Accident Ensure adequate ven Dike to collect large lite 7. Hance	self-contained breathing apparatus in pressure-demand, ved or equivalent), and full protective gear. al Release Measures tilation. quid spills.			

CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
57-55-6	Propylene glycol	No data.	No data.	No data.
141-78-6	Acetic acid, ethyl ester	PEL: 400 ppm	TLV: 400 ppm	No data.
105-54-4	Ethyl butyrate	No data.	No data.	No data.



#### Tropic Thunder Flavor

Page 3

/							
100-52-7	Benzaldehyde		No data.	No data.	No data.		
68916-89-2	Oils, lemon, psor	alen-free	No data.	No data.	No data.		
8008-57-9 Oils, orange, sweet		eet	t No data. No		No data.		
Respiratory Equipment (Specify Type):		If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.					
Eye Protectio		Chemical safety go	oggles.				
Protective GI	oves:	Wear appropriate p	protective gloves	to prevent skin exposure. H	landle with gloves.		
Other Protect	tive Clothing:	Wear appropriate p	protective clothing	g to prevent skin exposure.			
Engineering ( (Ventilation e		•	•	erial should be equipped wi ilation to keep airborne cor			
	ic/Maintenance		•	ustrial hygiene and safety p	practice. Wash hands		
Practices:		before breaks and	at the end of wor	kday.			
		9. Physical	and Chemic	cal Properties			
Physical Stat	es:	[]Gas [X]Li	quid [ ] Solid	l			
Appearance a	and Odor:	Transparent yellow	•				
		Tropical punch tast	te and aroma.				
Melting Point		No data.					
Boiling Point		No data. No data. 144.00 F					
Autoignition Flash Pt:	Fι.						
Explosive Lir	nits	LEL: No data. UEL: No data.					
-	Specific Gravity (Water = 1):		1.024 at 22.0 C				
Vapor Pressure (vs. Air or		No data.					
mm Hg):	·						
Vapor Densit	y (vs. Air = 1):	No data.					
Evaporation	Rate:	No data.					
Solubility in V	Water:	No data.					
Percent Volat	tile:	No data.					
10. Stability and Reactivity							
Stability:		Unstable [ ] S	Stable [ X ]				
Conditions To Instability:	o Avoid -	No data available.					
-	Incompatibility - Materials To No data available.						
Hazardous D Byproducts:	ecomposition O	r No data available.					
Possibility of Reactions:	Hazardous	Will occur [ ]	Will not occur [ X	]			
Conditions T Hazardous R		No data available.					



Tropic Thunder Flavor

	11. Toxicological Information				
Toxicological Information: Irritation or Corrosion: Sensitization: Carcinogenicity:	This mixture has not been subjected to toxicological testing but has been blended from materials with established toxicological bibliographies. In view of the difficulty of using current standard toxicological evaluation techniques to predict potential hazards to susceptible individuals or arising from unforeseeable potentiation, this preparation should be considererd and handled as if it displayed health hazards and consequently treated with all possible precaution. No data available. No data available. NTP? No IARC Monographs? No OSHA Regulated? No				
	12. Ecological Information				
General Ecological Information:	This mixture as a whole has not been subjected to ecotoxicological testing. In view of the difficulty of using current standard ecotoxicological evaluation techniques to predict the impact of particular modes of release on vulnerable or localized parts of the ecosystem, this preparation should be considered and handled as if it displayed potential environmental hazards, and treated in consequence with all possible precaution.				
	13. Disposal Considerations				
Waste Disposal Method:	This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.				
	14. Transport Information				
GHS Classification:	Skin Corrosion/Irritation, Category 3 - Warning! Causes mild skin irritation Skin Sensitization, Category 1 - Warning! May cause an allergic skin reaction Flammable Liquids, Category 4 - Warning! Combustible liquid				
LAND TRANSPORT (US DOT	r):				
DOT Proper Shipping Na DOT Hazard Class: UN/NA Number: LAND TRANSPORT (Canadia TDG Shipping Name:					
LAND TRANSPORT (Europe ADR/RID Shipping Name UN Number: Hazard Class: MARINE TRANSPORT (IMDO IMDG/IMO Shipping Nan AIR TRANSPORT (ICAO/IATA ICAO/IATA Shipping Nan	: Not regulated.  G/IMO): ne: Not regulated.  A):				



Tropic Thunder Flavor

Page 5

		15. Reg	ula <u>tory  </u>	Informatio	າ		
EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists							
<b>CAS #</b> 57-55-6	Hazardous Components (Chemical Name) Propylene glycol			S. 302 (EHS) No	<b>S. 304 RQ</b> No	<b>S. 313 (TRI)</b> No	
141-78-6	Acetic acid, ethyl ester			No	Yes 5000 LB	No	
105-54-4	Ethyl butyrate		١	No	No	No	
100-52-7	Benzaldehyde		١	No	No	No	
68916-89-2	Oils, lemon, psor	alen-free	١	No	No	No	
8008-57-9	Oils, orange, swe	et	١	No	No	No	
'Hazard Categ	This material meets the EPA[X] Yes [] NoAcute (immediate) Health Hazard'Hazard Categories' defined[X] Yes [] NoChronic (delayed) Health Hazardfor SARA Title III Sections[X] Yes [] NoFire Hazard311/312 as indicated:[] Yes [X] NoSudden Release of Pressure Hazard[] Yes [X] NoReactive Hazard						
CAS #	Hazardous Com	ponents (Chemical Na	ame) C	Other US EPA or	State Lists		
57-55-6	Propylene glycol						
141-78-6	Acetic acid, ethyl	ester					
105-54-4	Ethyl butyrate						
100-52-7	Benzaldehyde						
68916-89-2 8008-57-9	Oils, lemon, psor Oils, orange, swe						
CAS #		ponents (Chemical Na	ame) Ir	nternational Reg	ulatory Lists		
57-55-6	Propylene glycol	ponento (onentou na	-	REACH: (R), (P)			
141-78-6	Acetic acid, ethyl ester REACH: (R), (P)						
105-54-4	Ethyl butyrate REACH: (P)						
100-52-7	Benzaldehyde		F	REACH: (R), (P)			
68916-89-2	Oils, lemon, psor	alen-free	F	REACH: (P)			
8008-57-9	Oils, orange, swe	eet	F	REACH: (P)			
16. Other Information							
Revision Date	):	03/26/2014					
Additional Information About This Product:This product contains no add occur in small amounts as an Added Diacetyl" products may The information provided on to and belief at the date of its put for safe handling, use, process not to be considered as a way to the specific material design combination with any other may				rtifact of the proc not be "Diacetyl F s SDS is correct ication. The info ng, storage, tran inty or quality sp ted and may not	duction process in o Free", as trace and to the best of our le rmation given is de sportation, disposa ecification . The inf be valid for such m	other ingredients, "No bunts may be present. knowledge, information signed only as a guide al and release and is ormation relates only naterial used in	